

Anton Debatin GmbH, Vichystr. 6, 76646 Bruchsal
MLS nv
Industriezone Grensland E2; Ringlaan 7
B-8930 Menen
Belgien

Michael Hoffmann
Vertrieb
0049 7251-8009-753
0049 7251-8009-759
michael.hoffmann@debatin.de
www.debatin.de

Bruchsal, 05.11.2024

Customer: Debatin

Product: Dri-Fresh®

7500 Xtra PF 150mm x 250mm pad

Customer product code:

Sirane sample code:

N/A

SA56293

Structure: Dri-Fresh® PE 7500 consists of a bonded two layer structure as follows:

Top layer: Adhesively bonded food approved white perforated HDPE



Absorbent layer: Proprietary blend of absorbent and bonding fibres, and superabsorbent fibres.

Absorbency: Nominal absorbency – 7500cc/m²

Nominal absorbency per pad – 112.5cc

Minimum absorbency tolerance is 25% below the nominal

Absorbency based on Sirane absorbency test procedure (details on request)

***Due to processing of material and lamination properties the absorbency of Sirane products will on occasion be below the nominal figure.**

Testing should be conducted to ensure that the pad and required absorbency is suitable for the required application.

Dimensions:

Thickness:

150mm x 220mm. Tolerance is 3%

Sirane do not specify thickness only absorbency

Weight: Nominal individual pad weight - 2.96g

Packaging: Boxed in blue, food-grade liners.

Palletising: Boxes shrink-wrapped on pallet.

Labelling: Individual box label includes product description, dimensions, colour, traceability code, customer

specified product code, order number, box quantity and box number.

Pallet label includes customer name, delivery address, product description, dimensions, colour,



traceability code, customer specified product code, box quantity, pallet quantity and shipping date.

If you have any questions, please do not hesitate to contact me.

With kind regards

Michael Hoffmann

