

**TECHNICAL SPECIFICATIONS**

|            |   |
|------------|---|
| Trade name | Pipette Trays for drawer                              |
| Use        | Very useful work station holder not only for pipette. |
| Material   | PVC Polyvinylchloride                                 |

**DIMENSIONAL SPECIFICATIONS**

|  |  |
|--|--|
| Dimension                                  | mm 216x283                                   |
| Height                                     | mm 40  |
| Length                                     | mm 129,32                                    |
| Overall pipettes stem diameter accomodated | 7 pipettes not exceeding 20mm longitudinally |
| Overall pipettes stem diameter accomodated | 16 pipettes not exceeding 10mm laterally     |

**GENERAL FEATURES**

|                       |   |
|-----------------------|---|
| CE mark               | No  |
| Autoclavability       | No  |
| Sterilization         | Gas Sterilizable (Ethylene Oxyde)<br>Chemical Sterilizable (in formalin)<br>Microwaves Yes. |
| Food contact suitable | No  |

**CHEMICAL RESISTANCE**

| Categories of substances  | Reference        | Concen. % | T. 20° | T. 40° | T.° 60 |
|---------------------------|------------------|-----------|--------|--------|--------|
| Inorganic acid            | Sulphuric acid   | 98        | C      | C      | C      |
| Organic acid              | Benzoic acid     | 100       | A      | B      | B      |
| Alcohol                   | Ethanol          | 100       | A      | B      | B      |
| Aldehydes                 | Acetaldehyde     | 100       | C      | C      | C      |
| Inorganic alkali          | Sodium hydroxide | 50        | A      | A      | A      |
| Organic alkali            | Aniline          | 100       | C      | C      | C      |
| Ketone                    | Acetone          | 100       | C      | C      | C      |
| Esther                    | Ethyl acetate    | 100       | C      | C      | C      |
| Hydrocarbons, halogenated | Dichloroethylene | 100       | -      | -      | -      |
| Hydrocarbons, aromatic    | Benzene          | 100       | C      | C      | C      |
| Hydrocarbons, linear      | Hexane           | 100       | B      | C      | C      |
| Supersolvent              | Tetrahydrofuran  | 100       | C      | C      | C      |

Legenda (not applicable if neglected):

- **A: fair resistance;** exposure (30 days) to the chemical does not cause any damage.
- **B: sufficient resistance;** exposure causes damage of poor importance, which sometimes is only temporary.
- **C: poor resistance;** exposure to chemical is not allowed, or causes immediate permanent damage.

Results of testing with reference materials are to be considered as indication: in case of specific use it is recommended to carry out preliminary testing..

**PACKAGING**

|     |        |
|-----|--------|
| Bag | Pcs. 6 |
|     |        |

**Quality Assurance**

Massimiliano Capitanio

**Technical Direction**

Guido Borona