

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reference number: 361100
Revision date: 4/13/2021 Supersedes version of: 4/15/2016 Version: 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture : Shorr solution Product name Product code : 361100

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : For professional use only

Use of the substance/mixture : In vitro diagnostic medical device.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

RAL DIAGNOSTICS Site Montesquieu 33650 MARTILLAC **FRANCE**

T 33 05 57 96 04 04 - F 33 05 57 96 04 05

commercial@ral-diagnostics.fr - www.ral-diagnostics.com

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|--|--|---------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| Malta | Medicines & Poisons Info Office | Mater Dei Hospital MSD Msida | +356 2545 6504 | |
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH Birmingham | 0344 892 0111 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226

Full text of H and EUH statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

Labelling according to: exemption for packages of a capacity of 125ml or less

Hazard pictograms (CLP) :

GHS02

Signal word (CLP) : Warning

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------|---|
| Ethyl alcohol substance with national workplace exposure limit(s) (GB, IE) | CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002- 00-5 REACH-no: 01- 2119457610-43 | 25 - 50 | Flam. Liq. 2, H225 |
| Acetic acid 90% substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit | CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002- 00-6 REACH-no: 01- 2119475328-30 | 1 - 5 | Flam. Liq. 3, H226 Skin Corr. 1A, H314 |
| Phosphomolybdic acid substance with national workplace exposure limit(s) (GB) | CAS-No.: 51429-74-4 EC-No.: 234-713-5 | < 1 | Ox. Sol. 2, H272 Skin Corr. 1B, H314 |

| Specific concentration limits: | | | |
|--------------------------------|---|--|--|
| Name | Product identifier | Specific concentration limits | |
| Acetic acid 90% | CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002- 00-6 REACH-no: 01- 2119475328-30 | (10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C < 25) Skin Irrit. 2, H315 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C < 100) Skin Corr. 1A, H314 | |

Full text of H and EUH statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Hazardous decomposition products in case

of fire

: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-

contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters

sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces,

sparks, open flames and other ignition sources. No smoking. Wear personal

protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after

handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

Storage temperature : 15 - 25 °C

7.3. Specific end use(s)

No additional information available

4/13/2021 (Revision date) EN (English) 3/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Phosphomolybdic acid (51429-74-4) | | | | | |
|--|--|--|--|--|--|
| United Kingdom - Occupational Exposure Limits | | | | | |
| WEL TWA (OEL TWA) [1] | 5 mg/m³ | | | | |
| WEL STEL (OEL STEL) | 10 mg/m³ | | | | |
| Ethyl alcohol (64-17-5) | | | | | |
| Ireland - Occupational Exposure Limits | | | | | |
| Local name | Ethanol [Ethyl alcohol] | | | | |
| OEL STEL [ppm] | 1000 ppm | | | | |
| Regulatory reference | Chemical Agents Code of Practice 2020 | | | | |
| United Kingdom - Occupational Exposure Limits | , and the second | | | | |
| Local name | Ethanol | | | | |
| WEL TWA (OEL TWA) [1] | 1920 mg/m³ | | | | |
| WEL TWA (OEL TWA) [2] | 1000 ppm | | | | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | | | | |
| Acetic acid 90% (64-19-7) | | | | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | | | | |
| Local name | Acetic acid | | | | |
| IOEL TWA | 25 mg/m³ | | | | |
| IOEL STEL | 50 mg/m³ | | | | |
| IOEL STEL [ppm] | 20 ppm | | | | |
| Remark | SCOEL Recommendations (2012) | | | | |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2017/164 | | | | |
| Ireland - Occupational Exposure Limits | | | | | |
| Local name | Acetic acid | | | | |
| OEL TWA [1] | 25 mg/m³ | | | | |
| OEL TWA [2] | 10 ppm | | | | |
| OEL STEL | 50 mg/m ³ | | | | |
| OEL STEL [ppm] | 20 ppm | | | | |
| Regulatory reference | Chemical Agents Code of Practice 2020 | | | | |
| Malta - Occupational Exposure Limits | | | | | |
| Local name | Acetic acid | | | | |
| OEL TWA | 25 mg/m³ | | | | |
| OEL TWA [ppm] | 10 ppm | | | | |
| OEL STEL | 50 mg/m ³ | | | | |
| OEL STEL [ppm] | 20 ppm | | | | |
| Regulatory reference | S.L.424.24 - Chemical Agents at Work Regulations (L.N.57 of 2018) | | | | |
| United Kingdom - Occupational Exposure Limits | | | | | |
| Local name | Acetic acid | | | | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Acetic acid 90% (64-19-7) | | |
|---------------------------|---------------------------------------|--|
| WEL TWA (OEL TWA) [1] | 25 mg/m³ | |
| WEL TWA (OEL TWA) [2] | 10 ppm | |
| WEL STEL (OEL STEL) | 50 mg/m³ | |
| WEL STEL (OEL STEL) [ppm] | 20 ppm | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Colour : Black. Violet.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : Not applicable

Freezing point : No data available

Boiling point : No data available

Flash point : 24.33 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Relative density : 0.935

Solubility : No data available Partition coefficient n-octanol/water (Log : No data available

Pow)

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Ethyl alcohol (64-17-5) | | |
|--|--|--|
| LD50 oral rat | 15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560 | |
| LD50 oral | 8300 mg/kg bodyweight Animal: mouse | |
| LD50 dermal rat | > 2000 mg/kg | |
| LC50 Inhalation - Rat | > 20 mg/l | |
| Acetic acid 90% (64-19-7) | | |
| LD50 oral rat | 3310 mg/kg | |
| LC50 Inhalation - Rat (Vapours) | > 40 mg/l Source: ECHA Registered substances | |
| Skin corrosion/irritation : | Not classified | |
| Serious eye damage/irritation : | Not classified | |
| Respiratory or skin sensitisation : | Not classified | |
| Germ cell mutagenicity : | Not classified | |
| Carcinogenicity : | Not classified | |
| Ethyl alcohol (64-17-5) | | |
| IARC group | 1 - Carcinogenic to humans | |
| Reproductive toxicity : | Not classified | |
| STOT-single exposure : | Not classified | |
| STOT-repeated exposure : | Not classified | |
| Ethyl alcohol (64-17-5) | | |
| NOAEL (subchronic, oral, animal/male, 90 days) | < 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) | |
| NOAEL (subchronic, oral, animal/female, 90 days) | > 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) | |
| Acetic acid 90% (64-19-7) | | |
| NOAEL (oral, rat, 90 days) | 290 mg/kg bodyweight Animal: rat, Animal sex: male | |
| Aspiration hazard : | Not classified | |

SECTION 12: Ecological information

12.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-

term adverse effects in the environment.

Hazardous to the aquatic environment, short-

term (acute)

: Not classified

Hazardous to the aquatic environment, long-

term (chronic)

: Not classified

| Ethyl alcohol (64-17-5) | | |
|---------------------------|--|--|
| LC50 - Fish [1] | 14.2 g/l Test organisms (species): Pimephales promelas | |
| EC50 72h - Algae [1] | 1900 – 1970 mg/l (marine water) | |
| EC50 96h - Algae [1] | 275 mg/l (freshwater) | |
| ErC50 algae | 275 mg/l Source: ECHA | |
| NOEC (chronic) | 9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d' | |
| NOEC chronic fish | 250 mg/l | |
| Acetic acid 90% (64-19-7) | | |
| LC50 - Fish [1] | > 300.82 mg/l Onchoryncus mykiss | |
| Acetic acid 90% (64-19-7) | | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Acetic acid 90% (64-19-7) | |
|---------------------------|--|
| LC50 - Fish [2] | > 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | > 300.82 mg/l Daphnia magna |
| EC50 - Crustacea [2] | > 300.82 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 300.82 mg/l Skeletonema costatum |
| EC50 72h - Algae [2] | > 300.82 mg/l Test organisms (species): Skeletonema costatum |

12.2. Persistence and degradability

| Ethyl alcohol (64-17-5) | | |
|--|--|--|
| Persistence and degradability Readily biodegradable. | | |
| Acetic acid 90% (64-19-7) | | |
| Persistence and degradability Readily biodegradable. | | |

12.3. Bioaccumulative potential

| Ethyl alcohol (64-17-5) | | |
|--|---------------------|--|
| Partition coefficient n-octanol/water (Log Pow) | -0.32 Source: ICSC | |
| Bioaccumulative potential | No bioaccumulation. | |
| Acetic acid 90% (64-19-7) | | |
| Partition coefficient n-octanol/water (Log Pow) -0.3 | | |
| Bioaccumulative potential Not bioaccumulate. | | |

12.4. Mobility in soil

| Acetic acid 90% (64-19-7) | | |
|---------------------------|---|--|
| Mobility in soil | Soluble material/quickly disperses in water | |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : Not release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting

instructions. Dispose in a safe manner in accordance with local/national

regulations.

Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID | |
|---|---|---|---|---|--|
| 14.1. UN number | | | | | |
| UN 1993 | |
| 14.2. UN proper shippin | 14.2. UN proper shipping name | | | | |
| FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol; Acetic acid 90%) | FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol; Acetic acid 90%) | Flammable liquid, n.o.s. (Ethyl alcohol; Acetic acid 90%) | FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol; Acetic acid 90%) | FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol; Acetic acid 90%) | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| ADR | IMDG | IATA | ADN | RID | | |
|---|--|--|-----------------------------------|--|--|--|
| Transport document description | | | | | | |
| UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol; Acetic acid 90%), 3, III, (D/E) | UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol; Acetic acid 90%), 3, III | I.O.S. (Ethyl liquid, n.o.s. (Ethyl alcohol; Acetic acid alcohol; Acetic acid alcohol; Acetic acid | | UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol; Acetic acid 90%), 3, III | | |
| 14.3. Transport hazard class(es) | | | | | | |
| 3 | 3 | 3 | 3 | 3 | | |
| 3 | 3 | | 3 | 3 | | |
| 14.4. Packing group | | | | | | |
| III | III | III | III | III | | |
| 14.5. Environmental hazards | | | | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No | | |
| No supplementary information available | | | | | | |

14.6. Special precautions for user

Overland transport

: F1 Classification code (ADR) : 274, 601 Special provisions (ADR) Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

: P001, IBC03, LP01, R001 Packing instructions (ADR)

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special

provisions (ADR)

: LGBF Tank code (ADR) : FL Vehicle for tank carriage : 3 Transport category (ADR) Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Operation

(ADR)

Hazard identification number (Kemler No.) : 30

Orange plates

30 1993

: TP1, TP29

: S2

Tunnel restriction code (ADR) : D/E EAC code : •3YE

Transport by sea

Special provisions (IMDG) : 223, 274, 955

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-E Stowage category (IMDG) : A MFAG-No : 128

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L Special provisions (IATA) : A3 ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 274, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 274, 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions : T4

(RID)

Portable tank and bulk container special

provisions (RID)

: TP1, TP29

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages : W12

(RID)

Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|--|----------|----------|
| Section | Changed item | Change | Comments |
| | Supersedes | Modified | |
| | Revision date | Modified | |
| 2.2 | Hazard pictograms (CLP) | Modified | |
| 2.2 | Precautionary statements (CLP) | Modified | |
| 2.2 | Hazard statements (CLP) | Modified | |
| 3 | Composition/information on ingredients | Modified | |
| 7.2 | Storage conditions | Added | |
| 15.2 | Chemical safety assessment | Added | |
| 16 | Abbreviations and acronyms | Added | |

| Abbreviations and acronyms: | | | |
|-----------------------------|---|--|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | | |
| ATE | Acute Toxicity Estimate | | |
| BCF | Bioconcentration factor | | |
| BLV | Biological limit value | | |
| BOD | Biochemical oxygen demand (BOD) | | |
| COD | Chemical oxygen demand (COD) | | |
| DMEL | Derived Minimal Effect level | | |
| DNEL | Derived-No Effect Level | | |
| EC-No. | European Community number | | |
| EC50 | Median effective concentration | | |
| EN | European Standard | | |
| IARC | International Agency for Research on Cancer | | |
| IATA | International Air Transport Association | | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Abbreviations and acronyms: | | |
|-----------------------------|--|--|
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| TLM | Median Tolerance Limit | |
| VOC | Volatile Organic Compounds | |
| CAS-No. | Chemical Abstract Service number | |
| N.O.S. | Not Otherwise Specified | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| ED | Endocrine disrupting properties | |

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Flam. Liq. 2 | Flammable liquids, Category 2 | |
| Flam. Liq. 3 | Flammable liquids, Category 3 | |
| H225 | Highly flammable liquid and vapour. | |
| H226 | Flammable liquid and vapour. | |
| H272 | May intensify fire; oxidiser. | |
| H314 | Causes severe skin burns and eye damage. | |
| H315 | Causes skin irritation. | |
| H319 | Causes serious eye irritation. | |
| Ox. Sol. 2 | Oxidising Solids, Category 2 | |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A | |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.