



Tork Premium Hand Towel Interfold Soft



voordeel

- besparend in gebruik
- dispenser hoeft nooit leeg te raken
- komen uitgevouwen 'klaar voor gebruik', uit de dispenser

voordeel

- Hoogwaardige kwaliteit handdoek
- Besparend in gebruik
- Klaar om te gebruiken: hygiënisch en gemakkelijk
- Geleverd in Carry Pack
- Unieke uitstraling door 'leaf'-bedrukking



producteigenschappen

artikel	stelsysteem	Uitgevouwen lengte	Uitgevouwen breedte	Gevouwen lengte	Gevouwen breedte	Lagen	Print	Reliëf	Kleur
100288	H2 - Intergevouwen handdoek systeem	34 cm	21.2 cm	8.5 cm	21.2 cm	2	nee	ja	Wit



verzendgegevens

consumentenunit

EAN	7322540159950
stuks	110
materiaal	Banderole
hoogte	130 mm
breedte	85 mm
lengte	212 mm
volume	2.3 dm ³
nettogewicht	345 g
brutogewicht	351 g

pallet

EAN	7322540175226
stuks	73920
consumentenunits	672
hoogte	1846 mm
breedte	800 mm
lengte	1200 mm
volume	1.6 dm ³
nettogewicht	231.77 kg
brutogewicht	238.91 kg

transportunit

EAN	7322540159967
stuks	2310
consumentenunits	21
materiaal	Plastic
hoogte	212 mm
breedte	390 mm
lengte	595 mm
volume	49.2 dm ³
nettogewicht	7.24 kg
brutogewicht	7.47 kg



milieu

Content

Chemical Pulp, Chemicals

Material

Virgin fibre Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Wetstrength agent Dry strength agent Dye = if coloured Fixing agents Fluorescent whitening agent Glue = if used The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel This product does not have an ecolabel

Date of issue 2006-06-12

Revision date 2010-03-12

Production

Material produced at Mannheim mill and product converted at Kostheim mill, Germany, certified according to ISO 9001:2000, ISO 14001 and EMAS

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.