

# Tork Advanced Wiper 415 Roll



## voordeel

- •Voor poetsklussen waarbij groot absorptievermogen gewenst is
- •Voor plekken met hoog verbruik













## producteigenschappen

artikel	systeem	Rollengte	Rolbreedte		Binnenste diameter van kern	Lagen	Kleur
130100	W1 - Poetsdoeken muur/vloer/stand aard systeem	1000 m	24.5 cm	38 cm	7.1 cm	1	Wit

## verzendgegevens

## consumentenunit

EAN	7310791200880		
stuks	1		
hoogte	245 mm		
breedte	380 mm		
lengte	380 mm		
volume	35.4 dm3		
nettogewicht	6370 g		
brutogewicht	6510 g		

## pallet

EAN	7322540252163	
stuks	42	
consumentenunit s	42	
hoogte	1865 mm	
breedte	800 mm	
lengte	1200 mm	
volume	1.5 dm3	
nettogewicht	267.54 kg	
brutogewicht	275.73 kg	

## transportunit

EAN	7310791200880	
stuks	1	
consumentenunit s	1	
materiaal	Plastic	
hoogte	245 mm	
breedte	380 mm	
lengte	380 mm	
volume	35.4 dm3	
nettogewicht	6.37 kg	
brutogewicht	6.57 kg	

## milieu

#### Content

Virgin pulp, Recycled fibres, Chemicals

#### Material

Virgin fibres and recovered paper

In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

#### Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are: Wet strength agent Dry strength agent If coloured = Dye Fixing agents If white Fluorescent whitening agent If needed Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid

#### Product safety

The product fulfils the legislative requirements for food safety =Isega. Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel. This product is approved for Swan label, licence 305 003.

Date of issue 2007-08-28

Revision date 2009-11-02

#### **Production**

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001.

#### **Destruction**

This product is mainly used for industrial procecces and hence it will be containinated with different substances. This will determine how the used product will be destructed. The product itself is suitable for incineration. Contact local authorities before destruction.