

TECHNICAL DATA SHEET

PRODUCT DESCRIPTION

PRODUCT CODE	958C
GENERAL DESCRIPTION	SRK PH.FLOCKED APP 3WP 200PKG
DETAILED DESCRIPTION	1 box contain 20 plastic bags each composed of 2 plastic envelopes each containing 5 film-film pouches each composed of 1 tube, with green cap, filled with 1mL of SRK medium and 1 regula flocked swab with green cap in tube.

PRODUCT COMPONENTS

MEDIUM	СОМР	OSITION
SRK	Sodium Chloride Potassium Chloride Calcium Chloride Lecithin Sodium Thiosulphate Sodium Thioglycollate	Sodium Pyruvate Sodium Bicarbonate Polysorbate 80

Medium pH	$7.00 \pm 0.50 \text{ (SRK)}$
-----------	-------------------------------

		SPECIFICATIONS
TRANSPORT TUBE	TUBE	TUBE LENGTH: 154.50 mm ± 1.00 mm INSERTION DIAMETER: 9.00 mm ± 0.50 mm EXTERNAL DIAMETER: 12.00 mm ± 0.50 mm MATERIAL: POLYPROPYLENE

This bulletin (Rev.09-31/01/2024) is for your guidance and is based on information believed to be reliable and should be periodically reviewed.



TECHNICAL DATA SHEET

		SPECIFICATIONS
SPONGE	SPONGE	LENGTH: 37.50 mm + 2.00 mm -1.50 mm WIDTH: 10.00 mm ± 0.50 mm THICKNESS: 5.00 mm ± 0.50 mm MATERIAL: POLYURETHANE
		SPECIFICATIONS
CAP	GREEN CAP	CAP LENGTH: 32.80 mm ± 0.50 mm INSERTION DIAMETER: 9.30 mm + 0.20 mm EXTERNAL CAP DIAMETER: 12.00 mm ± 0.20 mm MATERIAL: HIGH DENSITY POLYETHYLENE
		SPECIFICATIONS
SAMPLING TUBE	TUBE	TOTAL LENGTH: 81.30 mm ± 0.40 mm OUTER TUBE DIAMETER: 13.00 mm ± 0.20 mm INNER TUBE DIAMETER: 11.50 mm ± 0.20 mm MATERIAL: POLYPROPYLENE

This bulletin (Rev.09-31/01/2024) is for your guidance and is based on information believed to be reliable and should be periodically reviewed.



TECHNICAL DATA SHEET

		SPECIFICATIONS
САР	GREEN CAP	CAP HEIGHT: 15.00 mm ± 0.20 mm LOWER CAP DIAMETER: 16.80 mm ± 0.20 mm HIGHER CAP DIAMETER: 16.00 mm ± 0.20 mm MATERIAL: HIGH DENSITY POLYETHYLENE
		SPECIFICATIONS
APPLICATOR	FLOCKED REGULAR SWAB	DIAMETER HANDLE PART: 2.50 mm ± 0.10 mm TOTAL LENGTH: 127.00 mm ± 2.00 mm FLOCKED TIP DIAMETER: 5.50 mm ± 0.50 mm FLOCKED LENGTH: 16.00 mm ± 2.00 mm BREAK POINT: 78.50 mm ± 1.00 mm STICK MATERIAL: POLYSTYRENE FLOCKED MATERIAL: NYLON

PACKAGING SPECIFICATION

PACKAGING	FILM-FILM POUCH
BOX QTY	200
ENVELOPE QTY	10
INTERNAL ENVELOPE QTY	5

IMPORTANT INFO

STERILIZATION METHOD	IONIZING IRRADIATION
STORAGE TEMPERATURE	5/25°C-DO NOT FREEZE
SHELF LIFE	18 MONTHS

This bulletin (Rev.09-31/01/2024) is for your guidance and is based on information believed to be reliable and should be periodically reviewed.