

TECHNICAL DATA SHEET

PRODUCT DESCRIPTION

G.APP.
ach composed of ng a tube with dium, with green oplicator.
a า

PRODUCT COMPONENTS

MEDIUM	СОМР	OSITION
SRK	Sodium Chloride Potassium Chloride Calcium Chloride Lecithin Sodium Thiosulphate Sodium Thioglycollate	Sodium Pyruvate Sodium Bicarbonate Polysorbate 80

Medium pH	7.0 ± 0.5
мешин рп	710 - 015

		SPECIFICATIONS
TRANSPORT TUBE	TUBE	TUBE LENGTH: 154.50 mm ± 1.00 mm INSERTION DIAMETER: 9.00 mm ± 0.50 mm EXTERNAL DIAMETER: 12.00 mm ± 0.50 mm MATERIAL: POLYPROPYLENE

This bulletin (Rev.09-09/11/2023) is for your guidance and is based on information believed to be reliable and should be periodically reviewed.



TECHNICAL DATA SHEET

		SPECIFICATIONS
SPONGE	SPONGE	LENGTH: 37.50 mm + 2.00 mm -1.50 mm WIDTH: 10.00 mm ± 0.50 mm THICKNESS: 5.00 mm ± 0.50 mm MATERIAL: POLYURETHANE
		SPECIFICATIONS
APPLICATOR	FLOCKED REGULAR SWAB	DIAMETER HANDLE PART: 2.50 mm ± 0.10 mm TOTAL LENGTH: 127.00 mm ± 2.00 mm FLOCKED TIP DIAMETER: 5.50 mm ± 0.50 mm FLOCKED LENGTH: 16.00 mm ± 2.00 mm BREAK POINT: 78.50 mm ± 1.00 mm STICK MATERIAL: POLYSTYRENE FLOCKED MATERIAL: NYLON
		SPECIFICATIONS
САР	GREEN CAP	CAP LENGTH: 32.80 mm ± 0.50 mm INSERTION DIAMETER: 9.30 mm + 0.20 mm EXTERNAL CAP DIAMETER: 12.00 mm ± 0.20 mm MATERIAL: HIGH DENSITY POLYETHYLENE

PACKAGING SPECIFICATION

PACKAGING	FILM-FILM POUCH
BOX QTY	200
ENVELOPE OTY	10



TECHNICAL DATA SHEET

IMPORTANT INFO

STERILIZATION METHOD	IONIZING IRRADIATION
STORAGE TEMPERATURE	2/30°C-DO NOT FREEZE
SHELF LIFE	18 MONTHS

This bulletin (Rev.09-09/11/2023) is for your guidance and is based on information believed to be reliable and should be periodically reviewed.