

SELENITE BROTH for automation 2ml bulk tube

Revision nr.6 Dated 28/09/2015 Printed on 06/10/2015 Page n. 1 / 8 ΕN

	Safety data sheet	
SECTION 1. Identification of the sub	stance/mixture and of the compa	ny/undertaking
1.1. Product identifier		
Code: Product name	475CE.A SELENITE BROTH for automation 2ml bulk t	tube
1.2. Relevant identified uses of the substance or	mixture and uses advised against	
Intended use	SELENITE BROTH is an Enrichement selecti	ive broth for clinical specimens
Identified Uses	Industrial Professional	Consumer
Transport and conservation of clinical specimens for diagnostic analysis	-	-
1.3. Details of the supplier of the safety data shee	et	
Name Full address District and Country	Copan Italia SPA Via Perotti 10 25125 Brescia Italy Tel. 0302687200 Fax 0302687250	(BS)
e-mail address of the competent person responsible for the Safety Data Sheet Legal Manufacturer: Copan Italia SpA - Italy	msds@copangroup.com	
1.4. Emergency telephone number		
For urgent inquiries refer to	+39 0302687200	
SECTION 2. Hazards identification.		
2.1. Classification of the substance or mixture.		
The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.		
Hazard classification and indication: Acute toxicity, category 4	H302 Harmful if swallowe	ed.
2.2. Label elements.		
Hazard labelling pursuant to EC Regulation 1272/	2008 (CLP) and subsequent amendments and su	upplements.
Hazard pictograms:		

Signal words:

Warning

Hazard statements: H302 EUH031 EUH208

Harmful if swallowed. Contact with acids liberates toxic gas. Contains: Sodium selenite May produce an allergic reaction.



SELENITE BROTH for automation 2ml bulk tube

SECTION 2. Hazards identification. .../>>

Precautionary statements:

 ecautionaly statement	5.
P264	Wash thoroughly after handling.
P301+P312	IF SWALLOWED: call a POISON CENTER / doctor / / if you feel unwell.
P330	Rinse mouth.
Contains:	Sodium selenite

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

Identification. Conc. %. Classification 1272/2008 (CLP). Sodium selenite CAS. 10102-18-8 0,35 - 0,4 Acute Tox. 2 H300, Acute Tox. 3 H331, Skin Sens. 1 H317, Aquatic Chronic 2 H411, EUH031 EC. 233-267-9 INDEX. 034-003-00-3 Cute Tox. 2 H300, Acute Tox. 3 H331, Skin Sens. 1 H317, Aquatic Chronic 2 H411, EUH031

Note: Upper limit is not included into the range. The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

No episodes of harm to the staff authorised to use the product have been reported. The following general measures should be adopted as necessary:

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention. INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Do not give anything by mouth to an unconscious person.

EYES and SKIN: Wash with plenty of water. In the event of persistent irritation, get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed.

No episodes of damage to health ascribable to the product have been reported.

4.3. Indication of any immediate medical attention and special treatment needed. Information not available.

information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

ΕN



FN

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Product Pack Insert may be available, ask to legal manufacturer.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

If the product may or must come into contact or react with acids, suitable technical and/or organisational measures should be taken to prevent the development of toxic and/or inflammable gases.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.



Revision nr.6 Dated 28/09/2015 Printed on 06/10/2015 Page n. 4 / 8

SELENITE BROTH for automation 2ml bulk tube

SECTION 8. Exposure controls/personal protection. />>

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

	······································	
	Appearance	liquid
	Colour	colourless
	Odour	Not available.
	Odour threshold.	Not available.
	pH.	7,00 - 7,20 a 20°C - 25°C
	Melting point / freezing point.	Not available.
	Initial boiling point.	Not available.
	Boiling range.	Not available.
	Flash point.	Not available.
	Evaporation rate	Not available.
	Flammability (solid, gas)	Not available.
	Lower inflammability limit.	Not available.
	Upper inflammability limit.	Not available.
	Lower explosive limit.	Not available.
	Upper explosive limit.	Not available.
	Vapour pressure.	Not available.
	Vapour density	Not available.
	Relative density.	Not available.
	Solubility	Not available.
	Partition coefficient: n-octanol/water	Not available.
	Auto-ignition temperature.	Not available.
	Decomposition temperature.	Not available.
	Viscosity	Not available.
	Explosive properties	Not available.
	Oxidising properties	Not available.
9	.2. Other information.	
	Solid content.	2,25 %
	VOC (Directive 1999/13/EC) :	0
	VOC (volatile carbon) :	0
1		

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.



SELENITE BROTH for automation 2ml bulk tube

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

Acute effects: ingestion of this product is harmful. Even small amounts of product may cause serious health problems (stomach pain, nausea, sickness, diarrhoea).

This product generates toxic harmful gases upon contact with acids.

This product contains sensitizing substance/s and may cause allergic reactions.

Sodium seleniteLD50 (Oral).2,25 mg/kg ConiglioLD50 (Dermal).0,3 mg/kg Topo (intracervicale)

SECTION 12. Ecological information.

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil, sewers and waterways. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability. Information not available.

12.3. Bioaccumulative potential.

Sodium selenite BCF.

1870 -

12.4. Mobility in soil. Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.

ADR / RID, IMDG, IATA: 3283



SELENITE BROTH for automation 2ml bulk tube

Revision nr 6 Dated 28/09/2015 Printed on 06/10/2015 Page n. 6/8

SECTION 14. Transport information. />>

14.2. UN proper shipping name.

ADR / RID:	SELENIUM COMPOUND, SOLID, N.O.S.
IMDG:	SELENIUM COMPOUND, SOLID, N.O.S.
IATA:	SELENIUM COMPOUND, SOLID, N.O.S.

14.3. Transport hazard class(es).

ADR / RID:	Class: 6.1	Label: 6.1	
IMDG:	Class: 6.1	Label: 6.1	
IATA:	Class: 6.1	Label: 6.1	

IATA:

14.4. Packing group.

ADR / RID, IMDG, IATA: Ш

14.5. Environmental hazards.

ADR / RID:	NO
IMDG:	NO
IATA:	NO

14.6. Special precautions for user.

ADR / RID:	HIN - Kemler: 60	Limited Quantities 0,5 kg	Tunnel restriction code (D/E)
	Special Provision: -		
IMDG:	EMS: F-A, S-A	Limited Quantities 0,5 kg	
IATA:	Cargo:	Maximum quantity: 100 Kg	Packaging instructions: 676
	Pass.:	Maximum quantity: 25 Kg	Packaging instructions: 669
	Special Instructions:	A3, A5	

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product.	
Point.	

Substances in Candidate List (Art. 59 REACH).

None. Substances subject to authorisarion (Annex XIV REACH).

3

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

None.

Substances subject to the Rotterdam Convention: None.

Substances subject to the Stockholm Convention: None.



Copan Italia SPA SELENITE BROTH for automation 2ml bulk tube

SECTION 15. Regulatory information. ... / >>

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Sens. 1	Skin sensitization, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H300	Fatal if swallowed.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 453/2010 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament



SELENITE BROTH for automation 2ml bulk tube

Revision nr.6 Dated 28/09/2015 Printed on 06/10/2015 Page n. 8 / 8

SECTION 16. Other information. ... / >>

- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 01.